

WEST Search History

DATE: Sunday, September 16, 2007

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L27	L26 same "integrity check value"	3
<input type="checkbox"/>	L26	"communication" same "mutual authentication"	1261
<input type="checkbox"/>	L25	L24 and "message"	7
<input type="checkbox"/>	L24	L19 and "integrity check value"	7
<input type="checkbox"/>	L23	L22 and @ad<=19991122	1
<input type="checkbox"/>	L22	L21 and "message"	16
<input type="checkbox"/>	L21	L19 and "integrity"	17
<input type="checkbox"/>	L20	L19 same "integrity"	0
<input type="checkbox"/>	L19	"communication" near "mutual authentication"	76
<input type="checkbox"/>	L18	L17 and @ad<=19991122	3
<input type="checkbox"/>	L17	L16 and "message"	31
<input type="checkbox"/>	L16	L13 and "integrity"	34
<input type="checkbox"/>	L15	L13 and "integrity check"	2
<input type="checkbox"/>	L14	L13 and "integrity check value"	2
<input type="checkbox"/>	L13	L12 and "mutual authentication"	100
<input type="checkbox"/>	L12	"communication" and "first device" and "second device"	13350

END OF SEARCH HISTORY

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

secure communication, integrity check value, r

[Advanced Search](#)
[Preferences](#)

New! [View and manage your web history](#)

Web Results 1 - 10 of about **37,200** for **secure communication, integrity check value, message, stream ciph**

Secure message authentication for binary additive stream cipher ...

However, while some **message** encryption methods may provide some **integrity check** as a by-product, the common encryption method of Additive **Stream Cipher** ...

www.freepatentsonline.com/5345507.html - 44k - [Cached](#) - [Similar pages](#)

Circuit and method for providing secure communications between ...

The **secure communications** are maintained through use of an **integrity check value** (ICV) that accompanies a **message**. The ICV is used to determine whether the ...

www.freepatentsonline.com/20040230799.html - 44k - [Cached](#) - [Similar pages](#)

[DOC] WEP Protocol Weaknesses and Vulnerabilities

File Format: Microsoft Word - [View as HTML](#)

This creates the **Integrity Check Value** (ICV). The Frame Body and ICV are appended together and XOR'd with the output of the RC4 **stream cipher**. ...

islab.oregonstate.edu/koc/ece478/03Report/hong-lemhachheche-project.doc -

[Similar pages](#)

Wireless Local Area Network Security - Obscurity Trough...

WEP encryption uses a symmetric **stream cipher** called RC4. The key is a static shared ...

WEP includes a checkfield called the **integrity check value** (ICV). ...

www.ee.oulu.fi/research/ouspg/frontier/sota/whitepaper-wots/paper.html - 57k -

[Cached](#) - [Similar pages](#)

[PDF] Wireless LAN Security

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Michael: Nonlinear **message integrity check**. β. Rapid re-keying. β. Pre-Shared key mode ... **Stream Cipher**. Plain Text. XOR. Encrypted Data. Packet Key ...

www.cse.wustl.edu/~jain/cse574-06/ftp/j_cwls2.pdf - [Similar pages](#)

Internet Draft H. Andersson S. Josefsson RSA Security August 2001 ...

WEP uses the **stream cipher** RC4 with key obtained as the concatenation of a 24 ...

Finally, there is no real data **integrity** since the **integrity check value** ...

ietfreport.isoc.org/all-ids/draft-josefsson-pppext-eap-tls-eap-00.txt - 26k -

[Cached](#) - [Similar pages](#)

Making Home Automation Communications Secure

authenticates and protects the **integrity** of **messages** critical to home safety and Our algorithm is a **stream cipher** that does not need block padding. ...

doi.ieeecomputersociety.org/10.1109/2.955099 - [Similar pages](#)

Cryptography patents 200612

The state-varying hybrid **stream cipher** comprises at least two software routines. ...

20060291655 - **Secure** intermediary **communications** system: A system for ...

www.freshpatents.com/Cryptography-dt200612ntc380.php - 44k - [Cached](#) - [Similar pages](#)

[PDF] An efficient application of a dynamic crypto system in mobile ...

stream with the **ciphertext** yields the original plaintext. To ensure that a packet has not been modified in transit, WEP uses an **Integrity Check** (IC) field ...

ieeexplore.ieee.org/iel5/9178/29115/01311295.pdf - [Similar pages](#)

[PDF] Chapter 7 SECURITY AND INSECURITY OF WIRELESS NETWORKS
that the 32-bit CRC **integrity check value** is valid, and the challenge text ... For **stream**
ciphers, the XOR MAC does not provide any **message integrity** ...
www.springerlink.com/index/m3303t2u48134316.pdf - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)